



Dimanche 28 Urban / Mardi 27

Two visions of everyday e-bike mobility

{MOUSTACHE
smiling machines



THE MOUSTACHE BIKES FONDAMENTALS

THE MOUSTACHE BIKES FUNDAMENTALS

DNA & vision



**"TO LEAVE THE CAR
IN THE GARAGE..."**

**DEVELOPMENT AND FULL ASSEMBLING
OF ALL OUR BIKES IN FRANCE**

BEING & STAY
AN E-BIKE
PIONNEER

THE MOUSTACHE BIKES FUNDAMENTALS

Design & Identity



Our name Moustache comes from a famous handlebar linked to the history of cycling. Each moustache is unique, each moustache is recognizable, each moustache has a strong identity.

OUR COMPANY, OUR BRAND AND OUR BIKES TOO!



H. POIROT

DALÍ

MAGNUM



EINSTEIN

GANDHI

CLARK GABLE



RINGO STAR

F. ZAPPA

CHAPLIN

THE MOUSTACHE BIKES FUNDAMENTALS

Innovation & Engineering



Born **Electric**

Just the **right innovation**

World **first Bosch
battery integration**

Magic Grip Control

Xroad

J

...

THE MOUSTACHE BIKES FUNDAMENTALS

Values & Commitments



Passion and pleasure

Creativity and precision

Humility and determination

Quality and durability

Proximity and responsibility



URBAN MOBILITY IS CHANGING

Cities are evolving, and so are the ways people move through them every day.

1. Everyday distances are getting longer

Commuting is no longer limited to short inner-city trips. Urban and peri-urban riding are now part of the same journey.

2. Expectations go beyond speed

Comfort, simplicity, reliability and peace of mind matter as much as performance.

3. One bike doesn't fit every lifestyle

Riders have different needs, habits and priorities - from sporty commuting to relaxed daily mobility.

That's why Moustache offers distinct answers to urban mobility.

TWO ANSWERS TO EVERYDAY URBAN MOBILITY

Two different approaches. The same Moustache DNA.

DIMANCHE 28 URBAN

Light. Sporty. Efficient.

- Designed for dynamic urban commuting
- Lightweight and agile ride feel
- Sporty yet comfortable geometry
- Ideal for riders who move fast and travel light

MARDI 27 / MARDI 27 FS

Comfort. Simplicity. Peace of mind.

- Designed for everyday ease and comfort
- Upright, relaxed riding position
- Low maintenance solutions
- Ideal for riders who prioritize comfort and versatility



DIMANCHE 28 URBAN

Dimanche 28 Urban embodies the desire to ride freely in the city on a lightweight bike with a sporty spirit. And just because you have a sporty spirit doesn't mean you don't want the practical features of the Dimanche 28 Urban: carrier, mudguards, lights and suspension!

FAST, LIGHT AND EFFORTLESS URBAN RIDING

Dimanche 28 Urban is designed to make everyday urban riding feel lighter, faster and more intuitive.



Light

- Easy to carry up stairs
- Easy to live with, every day

Fast

- Sporty ride feel
- Efficient pedalling position
- Agile handling in traffic

Effortless

- Electric assistance that supports, without dominating
- No unnecessary features
- A bike that feels natural to ride


LIGHTWEIGHT BY DESIGN

Less weight means more freedom in the city.

"A sporty urban e-bike that feels light, natural and intuitive"

Easier to carry, easier to handle,
easier to live with.

- Lightweight aluminium frame
- Compact Bosch SX motor and 400Wh battery with discreet integration
- Overall weight under **21 kg** (fully equipped)



SPORTY YET COMFORTABLE GEOMETRY

Inspired by road and fitness bikes.

"A sporty urban e-bike that feels light, natural and intuitive"



Fast without feeling extreme.

- Slightly forward riding position with efficient pedalling
- Balanced reach and stack for everyday comfort
- Stable and precise handling in urban traffic
- SR Suntour NRX fork – 40mm travel
- Schwalbe G-One Comp 700x50 tires

CLEAN DESIGN, EVERYDAY PRACTICALITY

Nothing more than what you really need.

"A sporty urban e-bike that feels light, natural and intuitive"

- Integrated and discreet components
- Double cavity aluminium mudguards and everyday equipment included
- Supernova powerful front light and rear Spaninga light
- Bosch SmartPhone Grip phone mount with eBike Flow app
- A minimalist look that fits modern urban lifestyles



TECH HIGHLIGHTS

Everything you need, nothing you don't



Bosch Perf. Line SX

- Compact and lightweight motor
- Up to **60 Nm** of torque
- Smooth, progressive assistance
- Ideal for sporty urban riding



Compact 400Wh battery

- Optimised for weight and balance
- Perfect for daily urban and periurban use
- Discreet integration into the frame
- Additional PowerMore 250Wh



Comfort-focused equipment

- Suspension fork for rough urban surfaces
- Large-volume tyres for grip and comfort
- Ergonomic cockpit and riding position
- Suspended dropper-post



Smart connectivity

- Bosch Smart System
- Smartphone Grip compatibility
- Clear and intuitive interface

EQUIPMENT & COMPATIBILITY

Designed for everyday urban life



Security

- Bosch Connect Module compatible.
- Anti-theft device.
- Localise and track your bike



Autonomy


- For those unexpected super long ride.
- Additional PowerMore 250Wh
- Total of 650Wh



Rear-panniers compatible

- Removable light QL3 lateral fitting system
- Also compatible with standard paniers
- Clean integration without affecting the bike's look

SPECS & VERSIONS



Dimanche 28 Urban

ST - Taille / Size	mm	460 (S)	500 (M)	540 (L)	580 (XL)
Taille utilisateur / User size	m	1,53-1,68	1,66-1,81	1,79-1,94	1,92-2,07
TT - Tube supérieur / Top tube	mm	545	565	585	605
RC - Bases / Rear center	mm	437	437	437	437
HT - Douille de direction / Headtube	mm	120	135	160	180
WB - Empattement / Wheelbase	mm	1040	1050	1062	1071
FL - Longueur de fourche / Fork length	mm	445	445	445	445
BB - Hauteur de boîtier / BB height	mm	297	297	297	297
SA - Angle de selle / Seat angle	°	72,5	72,5	72,5	72,5
HA - Angle de direction / Head angle	°	68,9	69,6	70,2	70,9
Reach	mm	363	374	383	393
Stack	mm	576	594	620	642
SO - Enjambement / Standover	mm	782	810	839	860



Standard version

Open version

DIMANCHE 28 URBAN 3 799 €

Dimanche 28, 6061 T4-T6 alloy, variable thickness hydroformed tubes

Bosch Performance Line SX Smart System

Bosch CompactTube 400Wh

SR Suntour NRX 40mm

Shimano CUES 10 11x39

Shimano, MT200, hydraulic disc 180/160mm rotors

Schwalbe, G-One Comp K-Guard, 700x50C

EXA, 860i, suspended dropper-post w/remote lever, 31.6mm, 75mm

Supernova front light, E3 V521, 235 lumen /

Spanninga rear light, Presto2Guard

Weight : 20.2kg



MARDI 27 & MARDI 27 FS

Mardi 27 is designed to make everyday urban riding easier, more comfortable and more relaxed.

With its low step-through frame, upright riding position and low-maintenance solutions, it turns daily commuting into a smooth and stress-free experience.

ONE PLATFORM, TWO COMFORT LEVELS

MARDI 27.2	MARDI 27.4	MARDI 27.6
------------	------------	------------

Performance Line
Smart System
PowerTube 540Wh
Purion 200
Shimano Nexus 5 chain
Shimano Nexus 5 belt

Performance Line PX
Smart System
PowerTube 600Wh
Purion 200
Shimano Nexus 5 belt

Performance Line CX
Smart System
PowerTube 600Wh
Purion 200 + Smartphone grip
Enviolo belt
Enviolo Automatic option

Choose the model that fits your needs based on your riding habits and desired comfort level



HARDTAIL FRAME
Versatility and everyday comfort



FULL-SUSPENSION FRAME
Even more versatility and double the comfort



OPEN

An open frame you can step through in one smooth motion, even in elegant clothes... or with the flexibility of a log ;-){D.

EASY TO USE

Mardi 27 also comes in three versions with integrated gear hubs, easy to use and almost maintenance-free: Nexus, Enviolo and Enviolo Automatiq.

With **Nexus**, shift smoothly through 5 gears – even at a standstill - thanks to its intuitive twist shifter.

With **Enviolo**, enjoy a **belt drive** that's **smooth, silent, low-maintenance**, and adapts to your needs.

With **Enviolo Automatiq**, let **the bike shift gears for you**, automatically and seamlessly – you just ride, free-minded.





AN ADJUSTABLE AND COMFORTABLE POSTURE

Thanks to its **adjustable stem**, the Xroad adapts to your preferences. An upright and relaxed position for cruising or a more inclined and dynamic position for long distances.

Comfort is enhanced by the presence of a **suspension fork**, which absorbs shocks and makes the ride smoother, even on uneven paths.

And to ensure a **perfect fit** for every user, the Mardi 27 is **available in several frame sizes**.

Everyone can find their ideal configuration.



PRACTICAL



UTILITY

Rear carrier

With dual mounting standard (MILK HD and QL3), compatible with a wide range of accessories, or for attaching your baby carrier securely.



Even more secure

ABUS horseshoe lock integrated and additional security options with Bosch ConnectModule GPS tracker or AXA ULC chain.



THE DETAILS THAT MAKE THE DIFFERENCE

Tubular mudguards: strong and durable. Rear wheel guard and U-lock mount available as options.



FRAME LOCK

Frame anti-theft lock secures your bike with a simple turn of the key for a quick stop. Compatible with AXA ULC chain.



AXA ULC 130CM CHAIN + SADDLE BAG

Add extra physical protection with the 130cm AXA ULC chain, which plugs into the ABUS frame lock.



MOUSTACHE CODE

A tamper-resistant tag with a unique identification number makes it easy to find the owner of a bike previously registered in a Moustache account by its owner.



MIRROR

For increased rider safety, this kit includes mirror to fit your bike's handlebars.



EBIKE LOCK

Turn your screen or smartphone into a key: remove your display to deactivate assistance on your bike and/or smartphone with Ebike Flow.



NEW U LOCK MOUNT

Simple-to-use mount, fully integrated into the rear luggage rack, allowing for easy transport and securing of U-locks.



NEW PROTECTION GUARD

Rear wheel protection guard to prevent long clothing from getting caught in the rear wheel spokes.



BOSCH GPS TRACKER

The Bosch Connect Module geolocates your bike in real time and emits an audible signal in the case of theft.



NEW BATTERY LOCK

Digitally lock your battery to park your e-bike with even greater peace of mind.

MOUSTACHE PROTECT I AM NOT A BIKE TO STEAL!

MOUSTACHE PROTECT

PHYSICAL SECURITY			DIGITAL SECURITY				RIDER SAFETY	
								
Frame lock	AXA ULC 130cm chain + saddle bag	U lock mount	Moustache Code	Ebike Lock	Bosch GPS Tracker	Battery Lock	Mirror	Protection guard
✓			✓	✓				
✓	✓	✓	✓	✓			✓	
✓	✓	✓	✓	✓	✓	✓	✓	✓

I'm not a bike to steal.

Your Moustache bike comes standard with effective theft protection. You can enhance this level of protection with optional security packs available for the entire Urban and All road range.

These packs can only be ordered from a Moustache dealer.

STANDARD MOUSTACHE ON MY BIKE

Physical Security: Enjoy peace of mind with the frame lock.
Digital Security: Stay protected with the Moustache Code and eBike Lock.

INCREASE SECURITY

Physical Security: Ride with confidence using the frame lock and Axa 130 cm chain. Bonus: U-lock mount.
Digital Security: Stay protected with the Moustache Code and eBike Lock.
Rider Safety: Enhance your safety with a reliable rearview mirror.

INCREASE SECURITY EVEN FURTHER

Physical Security: Ride with confidence using the frame lock and Axa 130 cm chain. Bonus: U-lock mount.
Digital Security: Stay protected with the Moustache Code, eBike Lock, Bosch GPS tracker and optional Battery Lock.
Rider Safety: Enhance your safety with a reliable rearview mirror and rear wheel guard.

MARDI 27 IN DETAILS

The comfortable urban ride



Suspended Telescopic seatpost.
Comfortable and practical to use.
Ergonomic saddle

Reworked luggage rack
MIK HD+ QL3
Possibility of U lock support

Open frame
Available in 4 sizes
(S,M,L,XL)

Bosch Smart System motor
from 75Nm to 100Nm
(Performance Line,
Performance Line PX et CX)

Integrated cockpit
Light integration
Semi-integrated routing
Pre-wired for integration on the optional front rack

Front rack
Available as an option

New battery integration
Increased battery safety

EVEN MORE AUTONOMY WITH 800WH

The PowerTube 800 is a powerhouse suitable for long hilly rides or long weekend of riding!



+ 33%* more autonomy

Between 165 km* and 180 km* of range with your 800Wh battery!

You have enough to make twists and turns without worrying about your autonomy on your weekend outings!

These products are also still available in a 600Wh battery for a lighter bike!

* Maximum distance calculated under ideal conditions with a 70kg user. Battery life varies depending on

MARDI 27 FS IN DETAILS

The ultra-comfortable urban ride



Telescopic seatpost

Makes it easier to stop at a red light or stop sign by lowering the seat
Ergonomic saddle

Optional suspended rear rack with MIK HD and QL3 accessory attachment standard

Accessories can be mounted in 1 click. Two options available

Aluminium tubular mudguards. Solids

Moustache Shock Absorber

For perfect seating comfort
The little extra, the suspended luggage rack which benefits from the rear suspension

Bosch Smart System motor from 75Nm to 100Nm

(Performance Line, Performance Line PX et CX)

Purion 200 / Purion 200

displays + Smartphone grip
A choice of controls depending on the level of equipment

Integrated cockpit

Light integration
Semi-integrated routing
Pre-wired for integration on the optional front rack

New battery integration

Increased battery safety

Moustache Protect

Adding wheel lock

AN ENGINE ADAPTED TO ALL NEEDS



**Performance Line
CX (BDU384Y) [2](#)**



**Performance Line
PX (BDU347Y) [4](#)**



**Performance Line
(BDU346Y) [6](#)**

eBike system	The smart system	The smart system	The smart system
Maximum power	750 W	700 W	600 W
Maximum possible torque	100 Nm	90 Nm	75 Nm
Weight, approx.	2.8 kg	2.9 kg	2.8 kg

THE PERFECT BALANCE



The smart
system

NEW

PERFORMANCE LINE PX

Versatile: this is the engine for adventures on all roads, with just the right amount of power.

Accessible: particularly suitable for users who want a powerful engine that is easy to handle

P for "Psst!" a silent engine for even better environmental awareness

COUPLE (NM)	MAX POWER (W)	MAX ASSISTANCE (%)	POIDS (KG)
90	700	400	2,9

BATTERY OPTIONS

The smart
system



**Additional
PowerMore**
250Wh

Mardi 27.4
Mardi 27.6



PowerTube 800

Mardi 27.4
Mardi 27 FS 4
Mardi 27.6
Mardi 27 FS 6



PowerTube 600

Mardi 27.2
Mardi 27 FS 2



PowerTube 540

	PowerTube 800	PowerTube 600	PowerTube 540
Nominal capacity, approx.	21.3 Ah	16.0 Ah	14.5 Ah
Weight, approx.	3.9 kg	3.0 kg	3.0 kg
Voltage	36 V	36 V	36 V
4A Charger, 4A Charger (US/CA)	50%, approx. 2,6 h, 100%, approx. 6,9 h	50%, approx. 2,0 h, 100%, approx. 5,3 h	50%, approx. 1,8 h, 100%, approx. 4,9 h
2A Charger, 2A Charger (US/CA)	50%, approx. 5,7 h, 100%, approx. 12,4 h	50%, approx. 4,2 h, 100%, approx. 9,1 h	50%, approx. 3,8 h, 100%, approx. 7,7 h

ACCESSORIES TO SUIT YOUR LIFESTYLE





MARDI 27 & MARDI 27 FS SPECS

MARDI 27.2 OPEN
CHAIN
540WH



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

■ **MOTOR**

Bosch, Performance Line, Smart System, 75Nm

■ **BATTERY**

Bosch, PowerTube 540Wh

■ **ADDITIONNAL BATTERY**

■ **AUTONOMY (UP TO)**

124km

■ **CHARGER**

Bosch, 2Ah

■ **DISPLAY**

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Shimano, Affine, chain tensioner

■ **CHAINRING**

Narrow-Wide, 40 teeth

■ **CASSETTE**

Shimano, Nexus, 30T

■ **COG**

■ **CHAIN**

Shimano, HG40, 118 links

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range,

10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

Suspension, alloy, 31.6mm, 350mm, 40mm travel

■ **SEATPOST TRAVEL**

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 30 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK

HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m),

XL (1.90 - 2.05m)

■ **COLORS**

Black glossy

■ **WEIGHT / GVWR**

28.3kg / 135kg

MARDI 27.2 OPEN
BELT
540WH



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

■ **MOTOR**

Bosch, Performance Line, Smart System, 75Nm

■ **BATTERY**

Bosch, PowerTube 540Wh

■ **ADDITIONNAL BATTERY**

■ **AUTONOMY (UP TO)**

124km

■ **CHARGER**

Bosch, 2Ah

■ **DISPLAY**

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

■ **CHAINRING**

Gates, 46T

■ **CASSETTE**

Gates, 30T

■ **COG**

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range,

10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza - moderate wide

■ **SEATPOST**

Suspension, alloy, 31.6mm, 350mm, 40mm travel

■ **SEATPOST TRAVEL**

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 30 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK

HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m),

XL (1.90 - 2.05m)

■ **COLORS**

Black glossy

■ **WEIGHT / GVWR**

28.4kg / 135kg

MARDI 27.4 OPEN
BELT
600WH



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

-

■ **MOTOR**

Bosch, Performance Line PX, Smart System, 85Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

141km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

-

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

-

■ **CHAINRING**

Gates, 46T

■ **CASSETTE**

Gates, 30T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

Suspension, alloy, 31.6mm, 350mm, 40mm travel

■ **SEATPOST TRAVEL**

-

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ **COLORS**

Stone Grey glossy, Black glossy

■ **WEIGHT / GVWR**

28.4kg / 135kg

MARDI 27.6 OPEN
BELT
600WH



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

-

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

126km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Ernvolo

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 26T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Ernvolo, PURE, rotating handle with visual indicator

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Ernvolo, TR 380%, 32H, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza - moderate wide

■ **SEATPOST**

EZA, 860L, suspended dropper post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

125mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ **COLORS**

Black glossy, Oak green metallic

■ **WEIGHT / GVWR**

28.2kg / 160kg

MARDI 27.6 OPEN BELT AUTOMATIC 800WH



■ FRAME

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ FORK

SR Suntour, Mobie 34, lockout function, 100mm travel

■ SHOCK

-

■ MOTOR

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ BATTERY

Bosch, PowerTube 600Wh, Smart System

■ ADDITIONAL BATTERY

-

■ AUTONOMY (UP TO)

128km

■ CHARGER

Bosch, 4Ah

■ DISPLAY

Bosch, Smartphone Grip

■ REMOTE

Bosch, Purion 200, Smart System

■ REAR DERAILLEUR

Erviolo Automatic

■ CHAINRING

Gates, 50T

■ CASSETTE

Gates, 26T

■ COG

-

■ CHAIN

Gates, CDX belt, clean, smooth and resistant

■ SHIFTER

-

■ CRANKS

Stronglight, aluminium, 170mm, ISI

■ FRONT BRAKE

Magura, MTA2, hydraulic disc, 2 pistons

■ REAR BRAKE

Magura, MTA2, hydraulic disc, 2 pistons

■ FRONT ROTOR

Magura, MT A2, 180mm

■ REAR ROTOR

Magura, MT A2, 160mm

■ FRONT HUB

-

■ REAR HUB

Erviolo, TR 380%, 32H, 10x135mm, nut

■ FRONT RIM

Alloy, 32 holes, 27.5", internal width 27 mm

■ REAR RIM

Alloy, 32 holes, 27.5", internal width 27 mm

■ FRONT TYRE

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ REAR TYRE

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ SADDLE

Selle Royal, Essenza + moderate wide

■ SEATPOST

EXA, 860, suspended dropper-post w/remote lever, 31.6mm

■ SEATPOST TRAVEL

125mm

■ SEATCLAMP

Moustache, alloy, 34.9mm

■ HANDLEBAR

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ STEM

Moustache, alloy, adjustable, 110mm

■ HEADSET

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ GRIPS

SBS3, Ergonomic

■ FRONT LIGHT

Trelock, Lighthammer, 100 lux, powered by main battery

■ REAR LIGHT

Spanninga, Presto2Guard, powered by main battery

■ LOCK

ABUS, 6950ML, same key for framelock & battery lock. One Key option.

■ KICKSTAND

Moustache, adjustable

■ MUDGUARD

Moustache, alloy, double wall design, w/alloy stays

■ CARRIER

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ FRONT CARRIER

Option

■ PEDALS

alloy platform with reflectors

■ WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ SIZES

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ COLORS

Black glossy, Oak green metallic

■ WEIGHT / GVWR

28.2kg / 160kg

MARDI 27.4 800WH OPEN BELT 800WH



■ FRAME

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ FORK

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ SHOCK

-

■ MOTOR

Bosch, Performance Line PX, Smart System, 85Nm

■ BATTERY

Bosch, PowerTube 800Wh, Smart System

■ ADDITIONAL BATTERY

-

■ AUTONOMY (UP TO)

180km

■ CHARGER

Bosch, 4Ah

■ DISPLAY

-

■ REMOTE

Bosch, Purion 200, Smart System

■ REAR DERAILLEUR

-

■ CHAINRING

Gates, 46T

■ CASSETTE

Gates, 30T

■ COG

-

■ CHAIN

Gates, CDX belt, clean, smooth and resistant

■ SHIFTER

Shimano, Nexus SL-C7000-5, 5-speed

■ CRANKS

Stronglight, aluminium, 170mm, ISI

■ FRONT BRAKE

Shimano, MT200, hydraulic disc

■ REAR BRAKE

Shimano, MT200, hydraulic disc

■ FRONT ROTOR

Shimano, 180mm

■ REAR ROTOR

Shimano, 160mm

■ FRONT HUB

Shimano, 32H, 9x100mm, QR (Quick Release)

■ REAR HUB

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ FRONT RIM

Alloy, 32 holes, 27.5", internal width 23 mm

■ REAR RIM

Alloy, 32 holes, 27.5", internal width 23 mm

■ FRONT TYRE

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ REAR TYRE

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ SADDLE

Selle Royal, Essenza - moderate wide

■ SEATPOST

Suspension, alloy, 31.6mm, 350mm, 40mm travel

■ SEATPOST TRAVEL

-

■ SEATCLAMP

Moustache, alloy, 34.9mm

■ HANDLEBAR

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ STEM

Moustache, alloy, adjustable, 110mm

■ HEADSET

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ GRIPS

SBS3, Ergonomic

■ FRONT LIGHT

AXA, NXT, 80 lux, powered by main battery

■ REAR LIGHT

Spanninga, Presto2Guard, powered by main battery

■ LOCK

ABUS, 4650SL, same key for framelock & battery lock

■ KICKSTAND

Moustache, adjustable

■ MUDGUARD

Moustache, alloy, double wall design, w/alloy stays

■ CARRIER

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ FRONT CARRIER

Option

■ PEDALS

alloy platform with reflectors

■ WARRANTY

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ SIZES

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ COLORS

Black glossy

■ WEIGHT / GVWR

29.4kg / 135kg

**MARDI 27.6 800WH OPEN
BELT
800WH**



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

-

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 800Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

165km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Erviolo

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 26T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Erviolo, PURE, rotating handle with visual indicator

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Erviolo, TR 380%, 32H, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EXA, 860L, suspended dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

125mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ **COLORS**

Black glossy, Oak green metallic

■ **WEIGHT / GVWR**

29.2kg / 160kg

**MARDI 27.6 800WH OPEN
BELT AUTOMATIC
800WH**



■ **FRAME**

Mardi Open, 6061 T4-T6 alloy, hydroformed tubes and extruded triple cavity tubes for optimal stiffness, Bosch PowerTube battery integration, integrated cable routing

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

-

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 800Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

165km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Erviolo Automatic

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 26T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

-

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Erviolo, TR 380%, 32H, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza - moderate wide

■ **SEATPOST**

EXA, 860L, suspended dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

125mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SBS3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, removable QL3 lateral fixation, MIK HD platform. Moustache protect option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1.49 - 1.61m), M (1.59 - 1.76m), L (1.74 - 1.92m), XL (1.90 - 2.05m)

■ **COLORS**

Black glossy, Oak green metallic

■ **WEIGHT / GVWR**

29.2kg / 160kg

MARDI 27.2 FS
CHAIN
LIGHT CARRIER
540WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line, Smart System, 75Nm

■ **BATTERY**

Bosch, PowerTube 540Wh

■ **ADDITIONAL BATTERY**

■ **AUTONOMY (UP TO)**

122km

■ **CHARGER**

Bosch, 2Ah

■ **DISPLAY**

-

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Shimano, Afine, chain tensioner

■ **CHAINRING**

Narrow-Wide, 40 teeth

■ **CASSETTE**

Shimano, Nexus, 30T

■ **COG**

-

■ **CHAIN**

Shimano, HG40, 118 links

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900I, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, PrestoGuard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, light, removable QL3 lateral fixation, MIK platform option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Black matt

■ **WEIGHT / GVWR**

29.4kg / 135kg

MARDI 27.2 FS
CHAIN
SUSPENDED CARRIER
540WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line, Smart System, 75Nm

■ **BATTERY**

Bosch, PowerTube 540Wh

■ **ADDITIONAL BATTERY**

■ **AUTONOMY (UP TO)**

120km

■ **CHARGER**

Bosch, 2Ah

■ **DISPLAY**

-

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Shimano, Afine, chain tensioner

■ **CHAINRING**

Narrow-Wide, 40 teeth

■ **CASSETTE**

Shimano, Nexus, 30T

■ **COG**

-

■ **CHAIN**

Shimano, HG40, 118 links

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900I, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, PrestoGuard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, suspended, removable QL3 lateral fixation, MIK HD platform

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Black matt

■ **WEIGHT / GVWR**

31.4kg / 135kg

MARDI 27.4 FS
BELT
LIGHT CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line PX, Smart System, 85Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

139km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

-

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

-

■ **CHAINRING**

Gates, 46T

■ **CASSETTE**

Gates, 32T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900I, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, light, removable QL3 lateral fixation, MIK platform option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Black matt, Green argile metal

■ **WEIGHT / GVWR**

29.5kg / 135kg

MARDI 27.4 FS
BELT
SUSPENDED CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, XCM32-ATB, NLO, preload adjustment & lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line PX, Smart System, 85Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

137km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

-

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

-

■ **CHAINRING**

Gates, 46T

■ **CASSETTE**

Gates, 32T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Shimano, Nexus SL-C7000-5, 5-speed

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Shimano, MT200, hydraulic disc

■ **REAR BRAKE**

Shimano, MT200, hydraulic disc

■ **FRONT ROTOR**

Shimano, 180mm

■ **REAR ROTOR**

Shimano, 160mm

■ **FRONT HUB**

Shimano, 32H, 9x100mm, QR (Quick Release)

■ **REAR HUB**

Shimano, Nexus, 32H, 263% gear range, 10x135mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 23 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900I, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

AXA, NXT, 80 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 4650SL, same key for framelock & battery lock

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, suspended, removable QL3 lateral fixation, MIK HD platform

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Black matt, Green argile metal

■ **WEIGHT / GVWR**

31.6kg / 135kg

MARDI 27.6 FS
BELT
LIGHT CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

124km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Erviolo

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 22T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Erviolo, PURE, rotating handle with visual indicator

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Erviolo, Heavy Duty 380%, 32H, 12x148mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900L, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF 699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One-Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, light, removable QL3 lateral fixation, MIK platform option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Earth metal, Black matt

■ **WEIGHT / GVWR**

29.1kg / 160kg

MARDI 27.6 FS
BELT
SUSPENDED CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

122km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Erviolo

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 22T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

Erviolo, PURE, rotating handle with visual indicator

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Erviolo, Heavy Duty 380%, 32H, 12x148mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EKA, 900L, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF 699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One-Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, suspended, removable QL3 lateral fixation, MIK HD platform

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Earth metal, Black matt

■ **WEIGHT / GVWR**

30.9kg / 160kg

MARDI 27.6 FS
BELT AUTOMATIC
LIGHT CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

124km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Enviole Automatic

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 22T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

-

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Enviole, Heavy Duty 380%, 32H, 12x148mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza + moderate wide

■ **SEATPOST**

EXA, 900L, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One-Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, light, removable QL3 lateral fixation, MIK platform option.

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)

■ **COLORS**

Earth metal, Black matt

■ **WEIGHT / GVWR**

29.1kg / 160kg

MARDI 27.6 FS
BELT AUTOMATIC
SUSPENDED CARRIER
600WH



■ **FRAME**

Mardi FS, aluminium, one-piece gravity cast, low stepover, increase rigidity thanks to internal ribs, unified rear swingarm, discreet internal cable routing, integrated battery and drive unit

■ **FORK**

SR Suntour, Mobie 34, lockout function, 100mm travel

■ **SHOCK**

Moustache, Magic Grip Control 115, specific Air Shock with 2-position platform and dynamic control of rebound, build-in 165x38mm, 115mm travel

■ **MOTOR**

Bosch, Performance Line CX, Smart System, 85-100 Nm

■ **BATTERY**

Bosch, PowerTube 600Wh, Smart System

■ **ADDITIONAL BATTERY**

-

■ **AUTONOMY (UP TO)**

122km

■ **CHARGER**

Bosch, 4Ah

■ **DISPLAY**

Bosch, Smartphone Grip

■ **REMOTE**

Bosch, Purion 200, Smart System

■ **REAR DERAILLEUR**

Enviole Automatic

■ **CHAINRING**

Gates, 50T

■ **CASSETTE**

Gates, 22T

■ **COG**

-

■ **CHAIN**

Gates, CDX belt, clean, smooth and resistant

■ **SHIFTER**

-

■ **CRANKS**

Stronglight, aluminium, 170mm, ISI

■ **FRONT BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **REAR BRAKE**

Magura, MTA2, hydraulic disc, 2 pistons

■ **FRONT ROTOR**

Magura, MT A2, 180mm

■ **REAR ROTOR**

Magura, MT A2, 160mm

■ **FRONT HUB**

-

■ **REAR HUB**

Enviole, Heavy Duty 380%, 32H, 12x148mm, nut

■ **FRONT RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **REAR RIM**

Alloy, 32 holes, 27.5", internal width 27 mm

■ **FRONT TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **REAR TYRE**

Schwalbe, Super Moto-X, 27.5x2.40, Reflective

■ **SADDLE**

Selle Royal, Essenza - moderate wide

■ **SEATPOST**

EXA, 900L, dropper-post w/remote lever, 31.6mm

■ **SEATPOST TRAVEL**

150mm

■ **SEATCLAMP**

Moustache, alloy, 34.9mm

■ **HANDLEBAR**

Moustache, ergonomic, alloy, 660mm, 30° backsweep

■ **STEM**

Moustache, alloy, adjustable, 110mm

■ **HEADSET**

Acros, AZF-699, sealed bearings, internal routing, blocklock

■ **GRIPS**

SB3, Ergonomic

■ **FRONT LIGHT**

Trelock, Lighthammer, 100 lux, powered by main battery

■ **REAR LIGHT**

Spanninga, Presto2Guard, powered by main battery

■ **LOCK**

ABUS, 6950ML, same key for framelock & battery lock. One-Key option.

■ **KICKSTAND**

Moustache, adjustable

■ **MUDGUARD**

Moustache, alloy, double wall design, w/alloy stays

■ **CARRIER**

Moustache, alloy, suspended, removable QL3 lateral fixation, MIK HD platform

■ **FRONT CARRIER**

Option

■ **PEDALS**

alloy platform with reflectors

■ **WARRANTY**

5 years frame and fork Moustache Bikes - 2 years motor, battery

■ **SIZES**

S (1,55 - 1,70m), M (1,65 - 1,85m), L (1,80 - 1,95m)


■ **COLORS**

Earth metal, Black matt

■ **WEIGHT / GVWR**


30.9kg / 160kg

GEOMETRY



Mardi 27.2 / 27.4 / 27.6 / 27.4 800Wh / 27.6 800Wh Open

ST - Taille / Size	mm	390 (S)	450 (M)	510 (L)	550 (XL)
Taille utilisateur / User size	m	1,49 - 1,61	1,59 - 1,76	1,74 - 1,92	1,90 - 2,05
TT - Tube supérieur / Top tube	mm	557	580	610	645
RC - Bases / Rear center	mm	475	475	475	475
HT - Douille de direction / Headtube	mm	170	170	190	210
WB - Empattement / Wheelbase	mm	1112	1126	1157	1193
FL - Longueur de fourche / Fork length	mm	501,5	501,5	501,5	501,5
BB - Hauteur de boîtier / BB height	mm	300	300	300	300
SA - Angle de selle / Seat angle	°	71,3	71,3	71,3	71,3
HA - Angle de direction / Head angle	°	66,6	67,4	67,4	67,4
Reach	mm	333	354	378	407
Stack	mm	661	666	684	702
SO - Enjambement / Standover	mm	140	140	140	140



Mardi 27 FS

ST - Taille / Size	mm	460 (S)	460 (M)	460 (L)
Taille utilisateur / User size	m	1,55 - 1,72	1,65 - 1,85	1,80 - 1,95
ST - Tube de selle / Seat tube	m	460	460	460
TT - Tube supérieur / Top tube	mm	600	600	600
RC - Bases / Rear center	mm	515	515	515
HT - Douille de direction / Headtube	mm	180	180	180
WB - Empattement / Wheelbase	mm	1198	1198	1198
FL - Longueur de fourche / Fork length	mm	501,5	501,5	501,5
BB - Hauteur de boîtier / BB height	mm	312	312	312
SA - Angle de selle / Seat angle	°	70,7	70,7	70,7
HA - Angle de direction / Head angle	°	67,2	67,2	67,2
Reach	mm	374	374	374
Stack	mm	654	654	654
SO - Enjambement / Standover	mm	507	507	507



Merci ;-D

{TNOUSTACHE
smiling machines